

Definition: Probability is concerned with events of chance or uncertainty.
 Probabilities are normally and usually represented as fractions e.g. $2/3$ or $4/5$

Scale of Probability:		Impossible	Maybe	Certain
	-----	-----		
0	Low	$1/2$	High	1

Sample Space (Universe of Event)

A listing or diagram of all possible outcomes from an experiment or occurrence.
 Specific Event (Subset of Universe)
 Simple (single event) or Non-Simple (multiple events) of chance.

Types of Probabilities for an Experiment (Event) of Chance or Uncertainty.
 P = Probability * = Not P* = Not Probability

Probability Experiment: Tossing a Die onto a table or the floor.	Since a Die is a <u>Cube</u> with 6 faces: 1, 2, 3, 4, 5, 6
--	--

Probability of Success = (Success / Total) Probability of Failure* = (Failure / Total)*

P (2) = ____	P (Odd) = ____	P (N<5) = ____
P* (2) = ____	P* (Odd) = ____	P* (N<5) = ____
$P(R) \cup P^*(R) = 1$		$P(R) \cap P^*(R) = 0$

The Sum of P and P* equals 1.

The intersection of P and P* equals 0.

Definition: Odds represents the probability of an event occurring and/or happening.

Definition: Odds is the Ratio of the (Probability of Success) / (Probability of Failure)

Odds are normally and usually represented as ratios e.g. 2:3 or 2 to 3

<p>Summary of Odds: Die Experiment Tossing a Die with 6 faces onto floor.</p>	<p>Since a Die is a <u>Cube</u> with 6 faces: 1, 2, 3, 4, 5, 6</p>
---	--

Simple Example of the Odds for the above Experiment of Chance or Uncertainty.

Odds represent a ratio of Probabilities. Odds can later be reduce as ratios.

Odds in favor of Two event: $O_f (N=2) = \underline{\quad} : \underline{\quad} = \underline{\quad} \text{ to } \underline{\quad}$

Odds against Two event: $O_a (N=2) = \underline{\quad} : \underline{\quad} = \underline{\quad} \text{ to } \underline{\quad}$

Odds in favor of Odd event: $O_f (N \text{ is Odd}) = \underline{\quad} : \underline{\quad} = \underline{\quad} \text{ to } \underline{\quad}$

Odds against Odd event: $O_a (N \text{ is Odd}) = \underline{\quad} : \underline{\quad} = \underline{\quad} \text{ to } \underline{\quad}$

Odds in favor of N<5 event: $O_f (N<5) = \underline{\quad} : \underline{\quad} = \underline{\quad} \text{ to } \underline{\quad}$

Odds against N<5 event: $O_a (N<5) = \underline{\quad} : \underline{\quad} = \underline{\quad} \text{ to } \underline{\quad}$

Reference for this information from Fundamentals of Mathematics by Edwin I. Stein