

## Intermediate Numbers \* Grouped Computations 2 A

$346 + 87 = \underline{433}$

$4.5 + .76 = \underline{5.26}$

$216 - 58 = \underline{158}$

$2.6 - .70 = \underline{1.9}$

$12 \times 17 = \underline{204}$

$1.7 \times .04 = \underline{.068}$

$428 / 5 = \underline{85 \frac{3}{5}}$

$.03 / .6 = \underline{.05}$

$\frac{1}{2} + \frac{1}{4} = \underline{\frac{3}{4}}$

$3 \frac{3}{4} + 2 \frac{1}{8} = \underline{5 \frac{7}{8}}$

$\frac{5}{9} - \frac{1}{3} = \underline{\frac{2}{9}}$

$5 \frac{4}{6} - 2 \frac{1}{3} = \underline{3 \frac{1}{3}}$

$\frac{2}{7} \times \frac{4}{5} = \underline{\frac{8}{35}}$

$2 \frac{1}{2} \times 1 \frac{2}{7} = \underline{3 \frac{3}{14}}$

$\frac{2}{5} / \frac{2}{3} = \underline{\frac{3}{5}}$

$1 \frac{1}{3} / 2 \frac{1}{5} = \underline{\frac{20}{33}}$

$8^2 + 6^0 = \underline{65}$

$\sqrt{64} + \sqrt{25} = \underline{13}$

$2^2 - 4^1 = \underline{0}$

$\sqrt{36} - \sqrt{9} = \underline{3}$

$7^1 \times 9^0 = \underline{7}$

$\sqrt{16} \times \sqrt{4} = \underline{8}$

$3^2 / 5^1 = \underline{\frac{14}{5}}$

$\sqrt{49} / \sqrt{81} = \underline{\frac{7}{9}}$

$3 : 4 = \underline{5 \frac{1}{4}} : 7$

$40\% \text{ of } 15 \text{ is } \underline{6}$

$\underline{3} : 4 = 6 : 8$

$\underline{30}\% \text{ of } 20 \text{ is } 6$

$7 : 4 = 3 : \underline{1 \frac{5}{7}}$

$175\% \text{ of } 16 \text{ is } \underline{28}$

$5 : \underline{10} = 3 : 6$

$\underline{20}\% \text{ of } 50 \text{ is } 10$

## Intermediate Numbers \* Grouped Computations 2 B

$86 + 749 = \underline{835}$

$.02 + 4.9 = \underline{4.92}$

$503 - 58 = \underline{445}$

$5.3 - .07 = \underline{5.23}$

$18 \times 27 = \underline{486}$

$.6 \times 1.3 = \underline{.78}$

$229 \div 4 = \underline{57 \frac{1}{4}}$

$2.4 \div .96 = \underline{2.5}$

$\frac{2}{3} + \frac{5}{6} = \underline{1 \frac{1}{2}}$

$4 \frac{1}{3} + 3 \frac{2}{6} = \underline{7 \frac{2}{3}}$

$\frac{5}{8} - \frac{1}{2} = \underline{\frac{1}{8}}$

$5 \frac{3}{4} - 3 \frac{1}{8} = \underline{2 \frac{5}{8}}$

$\frac{3}{5} \times \frac{2}{8} = \underline{\frac{3}{20}}$

$2 \frac{1}{3} \times 1 \frac{1}{2} = \underline{3 \frac{1}{2}}$

$\frac{1}{4} \div \frac{3}{2} = \underline{\frac{1}{6}}$

$1 \frac{3}{4} \div 1 \frac{4}{5} = \underline{\frac{35}{36}}$

$5^2 + 9^0 = \underline{11}$

$\sqrt{81} + \sqrt{64} = \underline{17}$

$6^2 - 7^1 = \underline{29}$

$\sqrt{36} - \sqrt{4} = \underline{4}$

$4^1 \times 8^0 = \underline{4}$

$\sqrt{16} \times \sqrt{25} = \underline{20}$

$3^1 \div 2^2 = \underline{\frac{3}{4}}$

$\sqrt{49} \div \sqrt{9} = \underline{2 \frac{1}{3}}$

$5 : 4 = \underline{10} : 8$

$70\% \text{ of } 20 \text{ is } \underline{14}$

$\underline{3 \frac{1}{3}} : 5 = 2 : 3$

$\underline{40\%} \text{ of } 25 \text{ is } 10$

$6 : 4 = 9 : \underline{6}$

$225\% \text{ of } 36 \text{ is } \underline{81}$

$2 : \underline{1 \frac{3}{7}} = 7 : 5$

$\underline{30\%} \text{ of } 50 \text{ is } 15$

## Intermediate Numbers \* Grouped Computations 2 C

$375 + 86 = \underline{461}$

$.53 + 2.9 = \underline{3.43}$

$362 - 87 = \underline{275}$

$6.4 - .30 = \underline{6.10}$

$13 \times 16 = \underline{208}$

$.04 \times 2.3 = \underline{.092}$

$541 \div 8 = \underline{67 \frac{5}{8}}$

$.2 \div .05 = \underline{4}$

$\frac{1}{4} + \frac{3}{8} = \underline{\frac{5}{8}}$

$3 \frac{1}{4} + 5 \frac{1}{2} = \underline{8 \frac{3}{4}}$

$\frac{7}{9} - \frac{2}{3} = \underline{\frac{1}{9}}$

$7 \frac{5}{6} - 3 \frac{2}{3} = \underline{4 \frac{1}{6}}$

$\frac{3}{5} \times \frac{4}{6} = \underline{\frac{2}{5}}$

$1 \frac{1}{5} \times 2 \frac{1}{4} = \underline{2 \frac{7}{10}}$

$\frac{5}{8} \div \frac{3}{4} = \underline{\frac{5}{6}}$

$1 \frac{1}{2} \div 2 \frac{1}{3} = \underline{\frac{9}{14}}$

$9^0 + 8^2 = \underline{65}$

$\sqrt{49} + \sqrt{16} = \underline{11}$

$4^2 - 5^1 = \underline{11}$

$\sqrt{64} - \sqrt{4} = \underline{6}$

$6^1 \times 2^0 = \underline{5}$

$\sqrt{81} \times \sqrt{36} = \underline{54}$

$3^2 \div 7^1 = \underline{1 \frac{2}{7}}$

$\sqrt{9} \div \sqrt{25} = \underline{\frac{3}{5}}$

$7 : 6 = \underline{5 \frac{5}{6}} : 5$

$60\% \text{ of } 30 \text{ is } \underline{18}$

$\underline{2} : 4 = 3 : 6$

$\underline{10}\% \text{ of } 70 \text{ is } 7$

$5 : 7 = 6 : \underline{8 \frac{2}{5}}$

$125\% \text{ of } 40 \text{ is } \underline{50}$

$8 : \underline{6} = 4 : 3$

$\underline{40}\% \text{ of } 50 \text{ is } 20$

## Intermediate Numbers \* Grouped Computations 2 D

$69 + 857 = \underline{926}$

$7.3 + .08 = \underline{7.38}$

$503 - 49 = \underline{454}$

$4.6 - .03 = \underline{4.57}$

$23 \times 15 = \underline{345}$

$.3 \times 2.4 = \underline{.72}$

$139 \div 3 = \underline{46 \frac{1}{3}}$

$3.2 \div .8 = \underline{.04}$

$\frac{5}{6} + \frac{1}{2} = \underline{1 \frac{1}{3}}$

$3 \frac{3}{8} + 2 \frac{3}{4} = \underline{6 \frac{1}{8}}$

$\frac{3}{4} - \frac{1}{8} = \underline{\frac{5}{8}}$

$5 \frac{7}{9} - 2 \frac{1}{3} = \underline{3 \frac{4}{9}}$

$\frac{5}{4} \times \frac{2}{7} = \underline{\frac{5}{14}}$

$2 \frac{1}{4} \times 1 \frac{2}{5} = \underline{3 \frac{3}{20}}$

$\frac{3}{4} \div \frac{6}{7} = \underline{\frac{7}{8}}$

$1 \frac{1}{4} \div 2 \frac{1}{3} = \underline{\frac{15}{28}}$

$5^0 + 4^2 = \underline{17}$

$\sqrt{16} + \sqrt{25} = \underline{9}$

$6^2 - 8^1 = \underline{28}$

$\sqrt{64} - \sqrt{9} = \underline{5}$

$2^0 \times 7^0 = \underline{1}$

$\sqrt{49} \times \sqrt{36} = \underline{42}$

$4^1 \div 9^1 = \underline{\frac{4}{9}}$

$\sqrt{81} \div \sqrt{4} = \underline{4 \frac{1}{2}}$

$3 : 4 = \underline{5 \frac{1}{4}} : 7$

$20\% \text{ of } 15 \text{ is } \underline{3}$

$\underline{2} : 6 = 3 : 9$

$\underline{70}\% \text{ of } 40 \text{ is } 28$

$4 : 5 = 8 : \underline{10}$

$250\% \text{ of } 12 \text{ is } \underline{30}$

$9 : \underline{3 \frac{3}{5}} = 5 : 3$

$\underline{10}\% \text{ of } 50 \text{ is } 5$